NOMINATION FORM for the NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

MARYLAND HISTORICAL TRUST WORKSHEET

1. NAME COMMON:					
Stoneridge					
AND/OR HISTORIC:		· · · · · · · · · · · · · · · · · · ·			
Hartle Farm, pa	rt of "Surveyo	r's Last Shif	t"		
2. LOCATION					
STREET AND NUMBER:		•			
West of Clopper	Road, Route 10	0			
CITY OR TOWN:					
Hagerstown					
STATE		CO	UNTY:		
Maryland		1	Washing	ton	
3. CLASSIFICATION	•				
CATEGORY					ACCESSIBLE
(Check One)		OWNERSHIP		STATUS	TO THE PUBLIC
☐ District 🖾 Building	. Dublic	Public Acquisition:		F2 0 1	Yes:
Site Structur	*	In Process		Occupied	Restricted
Object	☐ Both	☐ Being Cons	sidered	Unoccupied	☐ Unrestricted
- Object				Preservotion work	⊠ No
				in progress	
PRESENT USE (Check One	or More es Appropriete)				· · · · · · · · · · · · · · · · · · ·
] Pork		Tronsportation	☐ Comments
		Privote Residence		Other (Specify)	
☐ Educotional ☐	Militory] Religious			-
Entertoinment	Museum] Scientific			
4. OWNER OF PROPERTY					
OWNER'S NAME:					
Jule A. Robbe					
STREET AND NUMBER:					
Route 10, Box 1	04				
CITY OR TOWN:			STATE:		
Hagerstown			Mary1	h an	
			I IIII y I	and	[
5. LOCATION OF LEGAL DE			ilaryi	and	2
5. LOCATION OF LEGAL DE	F DEEDS, ETC:		Haryr	and	*
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY O Washington Coun	F DEEDS, ETC:		Indiyi	and	***************************************
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY O Washington Coun STREET AND NUMBER:	ty Court House		lalyl	ang	<u> </u>
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY O Washington Coun STREET AND NUMBER: West Washington	ty Court House		111111	ang	X
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF Washington Coun STREET AND NUMBER: West Washington CITY OR TOWN:	ty Court House		STATE		X
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERN WEST WASHINGTON CITY OR TOWN: Hagerstown	ty Court House Street		STATE Maryl		**
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUN STREET AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference	Street of Current	Deed (Book	STATE Maryl	and	
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference 6. REPRESENTATION IN EX	Street of Current	Deed (Book	STATE Maryl	and	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUN STREET AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference	Street of Current isting surveys		STATE Maryl	and	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: SUMMED	ty Court House Street of Current Isling Surveys ical Trust Survey.	7ey #3063	STATE Maryl	and ‡): 563/	709
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUN STREET AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference 6. REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor:	ty Court House Street of Current Isling Surveys ical Trust Survey.	7ey #3063	STATE Maryl	and ‡): 563/	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: SUMMED	of Current String Surveys ical Trust Surveys RECORDS:	7ey #3063	STATE Maryl	and ‡): 563/	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference APPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: SUMM DEPOSITORY FOR SURVEY Maryland Histor: STREET AND NUMBER:	of Current String Surveys ical Trust Surveys RECORDS:	7ey #3063	STATE Maryl	and ‡): 563/	709
5. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference 6. REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: SUMM DEPOSITORY FOR SURVEY Maryland Histor:	of Current String Surveys ical Trust Surveys RECORDS:	7ey #3063	STATE Maryl	and ‡): 563/	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF WASHINGTON COUNTERED AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: SUMM DEPOSITORY FOR SURVEY Maryland Histor: STREET AND NUMBER:	of Current String Surveys ical Trust Surveys RECORDS:	7ey #3063	STATE Maryl	and ‡): 563/	709
S. LOCATION OF LEGAL DE COURTHOUSE, REGISTRY OF Washington Coun STREET AND NUMBER: West Washington CITY OR TOWN: Hagerstown Title Reference REPRESENTATION IN EXTITLE OF SURVEY: Maryland Histor: DATE OF SURVEY: Maryland Histor: STREET AND NUMBER: 2525 Riva Road	of Current String Surveys ical Trust Surveys RECORDS:	7ey #3063	STATE Maryla & Pg.	and #): 563/	709

DESCRIPTION							
	Excellent	☐ Good	☐ Foir		k One) rrioroted	Ruins	Unexposed
CONDITION		(Check Or	10)			(Che	eck One)
	M Alte	r•d < 50%	☐ Uncltered	.		☐ Moved	Original Site

This house is located just west of Clopper Road about one mile south of Md. Route 60 and a short distance west of the Antietam Creek in Washington County, Maryland. It is situated on a rocky bluff and faces south.

The structure is a two-story stone and log dwelling with most elevations covered with buff stucco. The stone section is five bays in length and is set on coursed rubble fieldstone foundations which are rather high at the front elevation. The log section adjoins the west gable end of the stone structure. It is three bays in length with stone foundations sheathed with concrete. The south elevation of the log section is covered with stucco while the west and north elevations display their log construction.

Windows appear to have been spaced evenly in the stone section. Much of the exterior framing has been replaced although some sills remain. Six-over-six pane double-hung sashes some containing early glass are present at all windows. Openings at the cellar level show narrow framing with mitered corners and a decorative beaded edge.

Windows in the log section are spaced with little concern for symmetry. Simple wooden trim with plain corner blocks surrounds the openings.

The main entrance in the stone section is simple in appearance with framing similar to that of the windows. The door is topped by a transom.

A shed roofed entrance porch is supported by square chamfered posts. A latticework railing spans its sides.

A double porch is included under the main roof span of the log section. It is supported by plain square posts and finished with a latticework railing.

The roof of the log section is covered with wooden shingles. A roof of corrugated sheet metal is present in the stone section. Brick chimneys which appear relatively new are located inside the gable walls of the stone section and inside the west end of the log structure.

The interior of the stone section is divided by an entrance hall containing the main stair. The stair is quite simple in appearance with plain brackets at the ends of the risers. Interior woodwork in the stone section appears to be machine-made with moldings attached to window jamb and door panels. Interior doors have three pairs of vertical panels. One large room with a fireplace is present west of the stair hall. East of the hall were two rooms the partition between them having been removed recently. A fireplace is located near the center of the east wall. Beneath it is a large service fireplace in the cellar.

The interior of the log section appears to retain a substantial amount of original woodwork including window trim with plain corner blocks. Most doors have six panels. A relatively small fireplace is located on the west wall.

The house is in excellent condition and stands on a tract containing 2.09 acres. Near the house is a stone bake oven and a stone end barn, its original roof having been replaced with a gambrel roof.

PERIOD (Check One or More es . Pre-Calumbian	16th Century	☐ 18th Century	20th Century
15th Century	☐ 17th Century	19th Century	Zorn Century
SPECIFIC DATE(S) (If Applicable			
AREAS OF SIGNIFICANCE (Che		-	
Abar iginal Prehistoric	☐ Education	☐ Palitical	Urban Planning
<u> </u>	☐ Engineering	Religion/Phi-	Other (Specify)
Historic	Industry	losaphy	
☐ Agriculture ☑ Architecture	☐ Invention	☐ Science	
Art	☐ Landscape	Sculpture	·
☐ Commerce	Architecture Literature	Social/Human-	
☐ Communications	_	itarian	
☐ Conservation	Military	☐ Theater	
	Music	Transpartation	
STATEMENT OF SIGNIFICANCE			
wall of the stone log section and suggest a constru	th window opening e section. The a the presence of uction date after	gs which was adjac appearance of the wholly machine-m r 1830, but probab	woodwork in the made nails would oly before 1850. The
wall of the stone log section and suggest a construction approximately the dwelling construction of the dwelling construction.	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjac appearance of the wholly machine-m r 1830, but probab	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent
wall of the stone log section and suggest a construction approximately the dwelling construction apple of rural	th window opening e section. The a the presence of uction date after pears to employ ronsisting of two dwellings of the	gs which was adjace appearance of the wholly machine-merically machine-merically models and the mid-19th century merically distinct sections	eent to the west woodwork in the made nails would by before 1850. The material and technical is an excellent

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY CORNER LATITUDE LONGITUDE LATITUDE AND LONGITUDE COORDINATES OF LITTUDE AND LONGITUDE COORDINATES OF LITTUDE AND LONGITUDE COORDINATES OF LITTUDE AND LONGITUDE COORDINATES OF LESS THAN TEN ACRES LATITUDE LONGITUDE	NGITUOE COORDINATES ER POINT OF A PROPERTY HAN TEN ACRES LONGITUOE L Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUOE LONGITUOE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUOE LONGITUOE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O O	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUDE LONGITUDE Degrees Minutes Seconds
DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUOE LONGITUOE Degrees Minutes Seconds
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW O , " O , " NE SE O , " O , " SE O , " O , " APPROXIMATE ACREAGE OF NOMINATEO PROPERTY: 2.09 acres	ER POINT OF A PROPERTY HAN TEN ACRES LONGITUOE LONGITUOE Degrees Minutes Seconds
DEFINING A RECTANGLE LOCATING THE PROPERTY GORNER LATITUDE Degrees Minutes Seconds NW NE SE SW O NO APPROXIMATE ACREAGE OF NOMINATEO PROPERTY: DOF LESS THAN TEN ACRES LATITUDE LONGITUDE Degrees Minutes Seconds O SE O O SE O O APPROXIMATE ACREAGE OF NOMINATEO PROPERTY: DOF LESS THAN TEN ACRES LATITUDE Degrees Minutes Seconds O O O APPROXIMATE ACREAGE OF NOMINATEO PROPERTY: 2.09 acres	LONGITUOE Degrees Minutes Seconds
CORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW NE SE SE SW O NO NE SW O	LONGITUOE Degrees Minutes Seconds
Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O	- I
NW O , " O ,	- I
NE 0 " 0 " " 0 SE SE 0 " 0 " 0 " 0 SW 0 " 0 SW 0 " 0 SW 0 SW	
SE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
SW 0 , 0 , 0 , 0 , 0 , 0 , 0 , 0 , 0 , 0	
APPROXIMATE ACREAGE OF NOMINATEO PROPERTY: 2.09 acres	
Acreage Justification:	
Acreage Justilleation:	
]
	1
-	
The second property of	
11. FORM PREPARED BY	
Paula Stoner Dickey, Consultant	· · · · · · · · · · · · · · · · · · ·
Paula Stoner Dickey, Consultant	OATE
ORGANIZATION	
Washington County Historical Sites Survey December, 1	December, 1974
ORGANIZATION Washington County Historical Sites Survey December, 1	
ORGANIZATION Washington County Historical Sites Survey December, 1 STREET AND NUMBER: Court House Annex	
ORGANIZATION Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Maryland	
ORGANIZATION Washington County Historical Sites Survey December, 1 STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown Maryland	December, 1974
ORGANIZATION Washington County Historical Sites Survey December, 1 STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown Maryland	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only)	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only)	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only) Significance of this property is:	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only) Significance of this property is:	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only) Significance of this property is:	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only) Significance of this property is:	December, 1974
Washington County Historical Sites Survey STREET AND NUMBER: Court House Annex CITY OR TOWN: Hagerstown State Liaison Officer Review: (Office Use Only) Significance of this property is:	December, 1974

Liber 563, Folio 709, July 11, 1973

Grantors: Vincent R. Groh and Barbara I. Groh Grantees: Jule A. Robbe and Betty C. Robbe

2.09 acres

Liber 535, Folio 55, December 9, 1971

Grantors: Hugh E. Middlekauf & Ruth H. Middlekauff

Grantees: Vincent R. Groh and Barbara L. Groh

2.09 acres.

Liber 422, Folio 205, April 20, 1965

Grantors: Marshall C. Strite & Martha U. Strite
Grantees: High E. Middlekauff & Ruth H. Middlefauff

203 acres

Liber 225, Folio 707, March 27, 1944

Grantors: Marshall F. Ziegler

Grantees: Marshall C. Strite & Martha U. Strite

"Surveyor's Last Shift," "Resurvey on Well Taught," 203 acres, 1 rood, 16 perches. being the same land of which John Hartle died siezed ... which was devised to Henry Hartle and Frederick Hartle by wi-1 of JOhn Hartle dated April 1, 1857, recorded in book E, Folio 373.


Liber 112, Folio 673, June 27, 1900

Grantor: Henry F. Wingert, Assignee

Grantee: Laura K. Zeigler

Property descended to Marshall F. Ziegler, only child and heir of Laura K. Zeigler 203 acres, 1 rood, 16 perches.

Will Liber E, Folio 373, Will of John Hartle made April 1, 1857 Probated May 1, 1857.





1





A) I as The The

> PAULA STONER DICKEY CUNSULTANT, WASHINGTON CO. HISTORICAL SITES SURVEY

ž



MG STONERINGE





